IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

KALLOO et al

Serial No. 09/815,336

Filed: March 23, 2001

For: METHODS AND DEVICES FOR DIAGNOSTIC

AND THERAPEUTIC INTERVENTIONS IN THE

PERITONEAL CAVITY

Examiner:

Allowed:

Atty Ref.:

TC/A.U.:

Confirmation No.

Shay, David

2784-25

3739

August 25, 2004

4418

December 14, 2004

Mail Stop PGPUB Drawings Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

SUBMISSION OF FORMAL DRAWINGS

Sir:

Responsive to the Notice Regarding Drawings mailed December 10, 2004 (copy attached), enclosed herewith are fourteen sheet(s) of formal, inked drawings for the above-identified application.

Respectfully submitted,

NIXON & VANDERHYE P.C.

y: <u>//</u>(

Michelle N. Lester

Reg. No. 32,331

MNL:slj

1100 North Glebe Road, 8th Floor

Arlington, VA 22201-4714 Telephone: (703) 816-4000 Facsimile: (703) 816-4100



UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NUMBER 035FILING DATE FIRST NAME APPLICANT ATTORNEY DOCKET NUMBER 09/815336 03/23/2001 Anthony Nicolas Kalloo 2784-25

NIXON & VANDERHYE, PC 1100 N GLEBE ROAD 8TH FLOOR ARLINGTON VA 22201-4714 DATES DOCKTED An Unit

DUE Peb 10 2005 3739

C/U JAN 10 2005

Examiner: Shay, David

Sheet No. #

Date Mailed: December 10, 2004

Notice Regarding Drawings

Corrected drawings for the above-identified application, received in the USPTO on March 23, 2001 still not acceptable for the reason(s) identified on the attached PTO-948. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. THIS TIME PERIOD IS NOT EXTENDABLE UNDER EITHER 37 CFR 1.136(a) OR 1.136(b). Failure to take corrective action within the set period will result in abandonment of the application.

ATTACHMENT: PTO-948 Notice of Draftsperson's Patent Review

RETURN CORRECTED DRAWINGS TO:

P.O. Box 1450

Commissioner for Patents

Alexandria, Virginia 22313-1450